

RAVENOL Super Sägekettenöl

Биоразградиво



1 л

Чланак:
1350301-001
Чланак:
1350301-001-01-999
Баркод:
4014835742215



5 л

Чланак:
1350301-005



20 л

Чланак:
1350301-020



20 л, есобох

Чланак:
1350301-B20



60 л

Чланак:
1350301-060



208 л

Чланак:
1350301-208



1 000 л

Чланак:
1350301-700

RAVENOL Super Saegeketteneol is made from specially selected vegetable oils and toxicological proper additives which do not pollute, because there they are degraded by microorganisms in a short time.

RAVENOL Super Saegeketteneol contains active ingredients based on natural raw materials to improve the mixing behavior of friction and shear-resistant adhesive additives that provide a good lubrication for high-speed chain.

Application Note

RAVENOL Super Saegeketteneol is a chain oil for the lubrication of high-performance saws of all makes. Optimized full lubrication in summer and winter, even under difficult conditions and due to high power reserves when sawing hardwood.

Shelf life of **RAVENOL Super Saegeketteneol**: 18 months at - 20°C to +30°C storage temperature. For cleaning of chain saws, we recommend **RAVENOL Kaltreiniger**.

Characteristics

- Very good viscosity-temperature behavior
- Very good low temperature resistance
- Excellent adhesion and lubrication properties
- High level of protection against wear and corrosion, reduce friction
- Economic consumption, extended service life
- Good long-term low-temperature behavior at -18°C for 100 h: properly filling
- Rapid biodegradability

Карактеристике

Име	Значење	Ревизија
Одобрен произвођач	KWF-Test (verification number 4979)	
Густина на 20°C	920 g/cm³	EN ISO 12185
Боја	Светло жуто	visual
Вискозност на 100°C	22.02 mm²/s	DIN 51562-1
Вискозност на 40°C	103.11 mm²/s	DIN 51562-1
Индекс вискозности VI	243	DIN ISO 2909
Тачка стињавања	-30 °C	DIN ISO 3016
Температура паљења	324 °C	DIN EN ISO 2592

Аналоги OEM

Alpine

0101130, 0101131, 0101136, 0101129, 0101128

Husqvarna

577616408

Укинуто паковање

Паковање	Чланак	Баркод
1 л	1350301-001-01-100	2200000037916 4014835150874
5 л	1350301-005-01-999	
20 л	1350301-020-01-999	
60 л	1350301-060-01-999	
208 л	1350301-208-01-999	